previously submitted documents, attached hereto is a form 1449 identifying the documents previously submitted.

In the claims:

Kindly withdraw claims 1-5, 7, 9, 10, 15-31, 33, 35-37, 42-44, 46-57, 61-67, 69-114 without prejudice.

Please add new claims 115 - 164 as follows:

2 ~~115~~. The mounting mechanism of claim ~~68~~ 1 having said first pivot connection positioned above said support.

3 ~~116~~. The mounting mechanism of claim ~~115~~ 2 further comprising a structural arrangement in which said upper link, said lower link and said second link member are in close proximity to each other.

16 ~~117~~. The mounting mechanism of claim ~~115~~ 2 further comprising a member effective to regulate ~~the~~ an angle of said support.

4 ~~118~~. The mounting mechanism of claim ~~116~~ 3 further comprising a member effective to regulate ~~the~~ an angle of said support.

21 ~~119~~. The mounting mechanism of claim ~~115~~ 2 further comprising a track for slidably attaching said mounting member to said base.

24 ~~120~~. The mounting mechanism of claim ~~115~~ 2 further comprising a vertical pivot in said mounting member.

12 ~~121~~. The mounting mechanism of claim ~~116~~ 3 further comprising a track for slidably attaching said mounting member to said base.

13 ~~122~~. The mounting mechanism of claim ~~116~~ 3 further comprising a vertical pivot in said mounting member.

Fly Cont'd

~~117~~ 123. The mounting mechanism of claim ~~117~~ 116 further comprising a track for slidably attaching said mounting member to said base.

~~118~~ 124. The mounting mechanism of claim ~~117~~ 116 further comprising a vertical pivot in said mounting member.

~~125~~ 125. The mounting mechanism of claim ~~118~~ 114 further comprising a track for slidably attaching said mounting member to said base.

~~126~~ 126. The mounting mechanism of claim ~~118~~ 114 further comprising a vertical pivot in said mounting member.

~~127~~ 127. The mounting mechanism of claim ~~115~~ 112 further comprising a sliding coupling between said mounting member and said lower link.

~~128~~ 128. The mounting mechanism of claim ~~116~~ 113 further comprising a sliding coupling between said mounting member and said lower link.

~~129~~ 129. The mounting mechanism of claim ~~117~~ 116 further comprising a sliding coupling between said mounting member and said lower link.

~~130~~ 130. The mounting mechanism of claim ~~118~~ 114 further comprising a sliding coupling between said mounting member and said lower link.

~~131~~ 131. The mounting mechanism of claim ~~119~~ 121 further comprising a sliding coupling between said mounting member and said lower link.

~~132~~ 132. The mounting mechanism of claim ~~120~~ 124 further comprising a sliding coupling between said mounting member and said lower link.

~~133~~ 133. The mounting mechanism of claim ~~126~~ 126 further comprising a sliding coupling between said mounting member and said lower link.

134. The mounting mechanism of claim 126 further comprising a vertical pivot in said mounting member.

28 135. The mounting mechanism of claim 115 further comprising at least one of said first and second engagement surfaces having an angled orientation.

15 136. The mounting mechanism of claim 116 further comprising at least one of said first and second engagement surfaces having an angled orientation.

20 137. The mounting mechanism of claim 117 further comprising at least one of said first and second engagement surfaces having an angled orientation.

11 138. The mounting mechanism of claim 118 further comprising at least one of said first and second engagement surfaces having an angled orientation.

23 139. The mounting mechanism of claim 119 further comprising at least one of said first and second engagement surfaces having an angled orientation.

26 140. The mounting mechanism of claim 120 further comprising at least one of said first and second engagement surfaces having an angled orientation.

9 141. The mounting mechanism of claim 126 further comprising at least one of said first and second engagement surfaces having an angled orientation.

8 142. The mounting mechanism of claim 133 further comprising at least one of said first and second engagement surfaces having an angled orientation.

29 143. The mounting mechanism of claim 68 further comprising a structural arrangement in which said upper link, said lower link and said second link member are in close proximity to each other.

30 144. The mounting mechanism of claim 143 further comprising a member effective to regulate an angle of said support.

33 ~~145.~~ The mounting mechanism of claim ~~143~~ 29 further comprising a track for slidably attaching said mounting member to said base.

38 ~~146.~~ The mounting mechanism of claim ~~143~~ 29 further comprising a vertical pivot in said mounting member.

31 ~~147.~~ The mounting mechanism of claim ~~144~~ 30 further comprising a track for slidably attaching said mounting member to said base.

32 ~~148.~~ The mounting mechanism of claim ~~144~~ 30 further comprising a vertical pivot in said mounting member.

34 ~~149.~~ The mounting mechanism of claim ~~145~~ 33 further comprising a vertical pivot in said mounting member.

39 ~~150.~~ The mounting mechanism of claim ~~143~~ 29 further comprising a sliding coupling between said mounting member and said lower link.

35 ~~151.~~ The mounting mechanism of claim ~~149~~ 34 further comprising a sliding coupling between said mounting member and said lower link.

40 ~~152.~~ The mounting mechanism of claim ~~143~~ 29 further comprising at least one of said first and second engagement surfaces having an angled orientation.

37 ~~153.~~ The mounting mechanism of claim ~~149~~ 34 further comprising at least one of said first and second engagement surfaces having an angled orientation.

36 ~~154.~~ The mounting mechanism of claim ~~151~~ 35 further comprising at least one of said first and second engagement surfaces having an angled orientation.

41 ~~155.~~ The mounting mechanism of claim ~~68~~ 1 further comprising a member effective to regulate ~~the~~ an angle of said support.

42 ~~156~~. The mounting mechanism of claim ~~155~~ 41 in which said member comprises a frictional engagement member effective to resist angular movement of said support.

43 ~~157~~. The mounting mechanism of claim ~~155~~ 41 further comprising a track for slidably attaching said mounting member to said base.

48 ~~158~~. The mounting mechanism of claim ~~155~~ 41 further comprising a vertical pivot in said mounting member.

44 ~~159~~. The mounting mechanism of claim ~~157~~ 43 further comprising a vertical pivot in said mounting member.

49 ~~160~~. The mounting mechanism of claim ~~155~~ 41 further comprising a sliding coupling between said mounting member and said lower link.

45 ~~161~~. The mounting mechanism of claim ~~157~~ 43 further comprising a sliding coupling between said mounting member and said lower link.

50 ~~162~~. The mounting mechanism of claim ~~155~~ 41 further comprising at least one of said first and second engagement surfaces having an angled orientation.

47 ~~163~~. The mounting mechanism of claim ~~157~~ 43 further comprising at least one of said first and second engagement surfaces having an angled orientation.

46 ~~164~~. The mounting mechanism of claim ~~161~~ 45 further comprising at least one of said first and second engagement surfaces having an angled orientation.

REMARKS

The Examiner indicated that claim 68 is allowable, but otherwise rejected each of the other claims. Office Action at 15. In view of the Examiner's finding, the Applicants have